

Make the right decision



Make the right decision

### Ready-to-use gel

A breakthrough for cockroach control

### What is Habitro Cockroach Gel?

It is a highly effective ready-to-use gel bait in controlling the different type of cockroaches without having to spray.





#### ||||||||||||||||||||| Fast-acting and great secondary control

- // Visible mortality after 24h. A laboratory study have shown a mortality of more than 80% of German cockroach population after 3 days\*.
- // The gel can be transferred from one cockroach to another because non-treated survivors can eat the dead bodies or feces of individuals that have previously fed on
- // This is known as the "Domino Effect" and it enables Habitro Cockroach Gel to control even those cockroaches that remain hidden within harbourages.

#### Attractive and palatable to cockroaches

Habitro Cockroach Gel has been formulated as an attractive food to cockroaches that they will feed as soon as they found the bait.

### ||||||| Physical appearance of bait

- // Does not leave dirty or oil marks on surfaces.
- // Once applied to surfaces the bait spots maintain their shape and do not run, even in very warm locations.



# Wersatile and easy to apply

- // More convenient and less disruptive versus spraying.
- // Baits are easy to apply then sprays as there is no need to empty kitchen cupboards.

Indoors. Commercial buildings, residential, kitchens









Who can use Habitro Cockroach Gel?

### How to use:

Habitro Cockroach Gel comes with a readyto-use applicator syringe.



1. Open the cap of the



2. The product is ready-touse.



# Where to apply

Apply the bait as close as possible to the harbourages of cockroaches

- // Cracks and crevices on walls, tables, drawers and etc.
- // Edges and corners of cupboards, cabinets, walls and etc.
- // Under and behind sinks and electrical equipments (refrigerators, ovens, dishwashers, computers and etc.).



### Application rates and delivery

Habitro Cockroach Gel has a basic dosage that can be increased by multiplying the number of spots (or spot size) when there is a heavy infestation or large cockroach species are involved.

- // By using the syringe, apply the bait with a spot size of approximately 5mm per m2.
- // The application rate depends on the degree of infestation and type of cockroach species:

Pest	Low infestation (when cockroaches are rarely seen during the day)	High infestation (when cockroaches are usually seen during the day)	Frequency
German cockroaches			Monitor regularly. Reapply when required or when bait has been fully consumed by cockroaches.
American cockroaches			





**5 mm**  $\approx 0.1 g$ Habitro Cockroach Gel



Bayer Co. (Malaysia) Sdn Bhd Reg. No. 196701000620 (7563-M) **Crop Science Division, Environmental Science** 25-03 & 25-04, Level 25, IMAZIUM No 8, Jalan SS21/37 Damansara Uptown 47400 Petaling Jaya, Selangor Malaysia